



Univar USA Inc.
6100 Carillon Point
Kirkland, WA 98033
(425) 889-3400

For Emergency Assistance involving chemicals call - CHEMTREC (800) 424-9300

The Version Date for this MSDS is : 06/21/2000

PRODUCT NAME:
 "OXONE" MONOPERSULFATE COMPOUND

MSDS #: DU3661CR

01 CHEMICAL PRODUCT/COMPANY IDENTIFICATION
 MATERIAL IDENTIFICATION

"OXONE" IS A REGISTERED TRADEMARK OF DUPONT.

CORPORATE MSDS NUMBER : DU005614
 CAS NUMBER : 70693-62-8
 CAS NAME : POTASSIUM HYDROGEN PEROXYMONOSULFATE
 SULFATE
 GRADE : TECHNICAL AND CG (COARSE GRANULAR)

TRADENAMES AND SYNONYMS

POTASSIUM MONOPERSULFATE
 POTASSIUM PEROXYMONOSULFATE

COMPANY IDENTIFICATION

MANUFACTURER/DISTRIBUTOR
 DUPONT
 1007 MARKET STREET
 WILMINGTON, DE 19898

PHONE NUMBERS

PRODUCT INFORMATION : 1-800-441-7515
 TRANSPORT EMERGENCY : CHEMTREC: 1-800-424-9300
 MEDICAL EMERGENCY : 1-800-441-3637

02 COMPOSITION/INFORMATION ON INGREDIENTS
 COMPONENTS

MATERIAL	CAS NUMBER	%
POTASSIUM PEROXYMONOSULFATE	10058-23-8	43
POTASSIUM BISULFATE	7646-93-7	23
POTASSIUM SULFATE	7778-80-5	29
POTASSIUM PEROXYDISULFATE	7727-21-1	3

MAGNESIUM CARBONATE

546-93-0 2

03 HAZARDS IDENTIFICATION POTENTIAL HEALTH EFFECTS

OXONE MONOPERSULFATE IS A SKIN AND EYE CORROSIVE, AND A NOSE AND THROAT IRRITANT. MAY CAUSE ALLERGIC SKIN REACTIONS IN SENSITIVE INDIVIDUALS. INGESTION MAY CAUSE INFLAMMATION AND DAMAGE TO THE LINING OF THE STOMACH, RESULTING IN BLEEDING.

HUMAN HEALTH EFFECTS:

SKIN CONTACT WITH AQUEOUS SOLUTIONS OR THE DRY POWDER UPON CONTACT WITH MOISTURE OR PERSPIRATION MAY CAUSE SKIN BURNS OR ULCERATION; TEMPORARY BODY HAIR LOSS MAY OCCUR IN CONTACTED AREAS. SKIN CONTACT WITH THE PRODUCT MAY CAUSE ALLERGIC SKIN REACTIONS IN SENSITIVE INDIVIDUALS. HUMAN PATCH TESTS WITH THE PRODUCT DILUTED IN WATER AT CONCENTRATIONS UP TO 150 PPM DID NOT CAUSE ALLERGIC SKIN REACTION.

EYE CONTACT MAY CAUSE EYE CORROSION OR ULCERATION. SEVERE EYE DAMAGE MAY RESULT IF NOT IMMEDIATELY TREATED (SEE FIRST AID MEASURES).

INHALATION MAY CAUSE NOSE BLEEDS AND IRRITATION OF THE UPPER RESPIRATORY PASSAGES WITH COUGHING AND DISCOMFORT. INGESTION MAY CAUSE GASTRITIS POSSIBLY PROGRESSING TO NECROSIS OR HEMORRHAGE.

INDIVIDUALS WITH PREEXISTING DISEASES OF THE SKIN OR GASTROINTESTINAL TRACT MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

CARCINOGENICITY INFORMATION

NONE OF THE COMPONENTS PRESENT IN THIS MATERIAL AT CONCENTRATIONS EQUAL TO OR GREATER THAN 0.1% ARE LISTED BY IARC, NTP, OSHA OR ACGIH AS A CARCINOGEN.

04 FIRST AID MEASURES FIRST AID

INHALATION

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

SKIN CONTACT

IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN. WASH CONTAMINATED CLOTHING BEFORE REUSE.

EYE CONTACT

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

INGESTION

IF SWALLOWED, DO NOT INDUCE VOMITING. IMMEDIATELY GIVE 2 GLASSES OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN.

05 FIRE FIGHTING MEASURES
FLAMMABLE PROPERTIES

WILL NOT BURN.

FIRE AND EXPLOSION HAZARDS:

IMPROPER STORAGE OF LARGE MASSES OF "OXONE" CAN TRAP HEAT AND LEAD TO IGNITION OF COMBUSTIBLES (SEE SECTION ON "HANDLING AND STORAGE"). GRINDING OR INTENSIVE MIXING MAY CAUSE DECOMPOSITION WITH LIBERATION OF HEAT AND OXYGEN; IGNITION OF OXIDIZABLE MATERIAL IF PRESENT MAY OCCUR.

EXTINGUISHING MEDIA

WATER.

FIRE FIGHTING INSTRUCTIONS

WILL RELEASE OXYGEN WHEN HEATED, INTENSIFYING A FIRE. ACIDIC MIST MAY BE PRESENT; SELF CONTAINED BREATHING APPARATUS SHOULD BE USED.

06 ACCIDENTAL RELEASE MEASURES
SAFEGUARDS (PERSONNEL)

NOTE: REVIEW FIRE FIGHTING MEASURES AND HANDLING (PERSONNEL) SECTIONS BEFORE PROCEEDING WITH CLEAN-UP. USE APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT DURING CLEAN-UP.

ACCIDENTAL RELEASE MEASURES

SWEEP UP. FLUSH AREA WITH LOW PRESSURE WATER.
(SEE DISPOSAL CONSIDERATIONS)

07 HANDLING AND STORAGE
HANDLING (PERSONNEL)

DO NOT INHALE. DO NOT GET IN EYES, ON SKIN OR CLOTHING. WASH THOROUGHLY AFTER HANDLING. WASH CLOTHING AFTER USE.

STORAGE

STORE IN A COOL, DRY, WELL-VENTILATED AREA AWAY FROM HEAT SOURCES SUCH AS LIGHT FIXTURES OR SPACE HEATERS.

PALLETS OF 25 KG. BAGS CAN BE STACKED. LEAVE OPEN SPACE ON ALL SIDES OF EACH PALLET TO PROVIDE VENTILATION. SEE LOCAL FIRE CODES FOR ALLOWABLE LIMITS. BULK BAGS SHOULD BE STORED ON PALLETS; IF STACKED USE PYRAMID STYLE, NO MORE THAN 2 PALLETS HIGH.

CLOSELY STACKED BAGS SHOULD NOT EXCEED A 4 FT.

(1.2M) CUBE. KEEP PACKAGES DRY. DO NOT STORE WITH COMBUSTIBLE MATERIALS OR WITH INCOMPATIBLES (SEE "INCOMPATIBILITY WITH OTHER MATERIALS").

08 EXPOSURE CONTROLS/PERSONAL PROTECTION
ENGINEERING CONTROLS

USE SUFFICIENT VENTILATION TO KEEP EMPLOYEE EXPOSURE BELOW RECOMMENDED LIMITS.

PERSONAL PROTECTIVE EQUIPMENT

FOR EXPOSURE TO DRY MATERIAL:

EYE/FACE PROTECTION:

WEAR SAFETY GLASSES OR COVERALL CHEMICAL SPLASH GOGGLES.

RESPIRATORS:

A NIOSH APPROVED AIR-PURIFYING RESPIRATOR WITH AN APPROPRIATE PARTICULATE CARTRIDGE OR CANISTER MAY BE PERMISSIBLE UNDER CERTAIN CIRCUMSTANCES WHERE AIRBORNE CONCENTRATIONS ARE EXPECTED TO EXCEED EXPOSURE LIMITS. PROTECTION PROVIDED BY AIR-PURIFYING RESPIRATORS IS LIMITED. USE A POSITIVE PRESSURE AIR-SUPPLIED RESPIRATOR IF THERE IS ANY POTENTIAL FOR AN UNCONTROLLED RELEASE, EXPOSURE LEVELS ARE NOT KNOWN, OR ANY OTHER CIRCUMSTANCES WHERE AIR-PURIFYING RESPIRATORS MAY NOT PROVIDE ADEQUATE PROTECTION.

PROTECTIVE CLOTHING:

WHERE THERE IS POTENTIAL FOR SKIN CONTACT HAVE AVAILABLE AND WEAR AS APPROPRIATE IMPERVIOUS GLOVES, APRON, PANTS AND JACKET.

FOR EXPOSURE TO SOLUTIONS:

EYE/FACE PROTECTION:

WEAR COVERALL CHEMICAL SPLASH GOGGLES. ADDITIONALLY WEAR A FACE SHIELD WHERE THE POSSIBILITY EXISTS FOR FACE CONTACT DUE TO SPLASHING OR SPRAYING OF MATERIAL.

RESPIRATORS:

A NIOSH APPROVED AIR-PURIFYING RESPIRATOR WITH AN APPROPRIATE PARTICULATE CARTRIDGE OR CANISTER MAY BE PERMISSIBLE UNDER CERTAIN CIRCUMSTANCES WHERE AIRBORNE CONCENTRATIONS ARE EXPECTED TO EXCEED EXPOSURE LIMITS. PROTECTION PROVIDED BY AIR-PURIFYING RESPIRATORS IS LIMITED. USE A POSITIVE PRESSURE AIR-SUPPLIED RESPIRATOR IF THERE IS ANY POTENTIAL FOR AN UNCONTROLLED RELEASE, EXPOSURE LEVELS ARE NOT KNOWN, OR ANY OTHER CIRCUMSTANCES WHERE AIR-PURIFYING RESPIRATORS MAY NOT PROVIDE ADEQUATE PROTECTION.

PROTECTIVE CLOTHING:

WHERE THERE IS POTENTIAL FOR SKIN CONTACT, WEAR IMPERVIOUS CLOTHING SUCH AS GLOVES, APRON, BOOTS OR WHOLE BODYSUIT.

EXPOSURE GUIDELINES

EXPOSURE LIMITS

"OXONE" MONOPERSULFATE COMPOUND

PEL (OSHA) : PARTICULATES (NOT OTHERWISE REGULATED)
 15 MG/M3, 8 HR. TWA, TOTAL DUST
 5 MG/M3, 8 HR. TWA, RESPIRABLE DUST
 TLV (ACGIH) : NONE ESTABLISHED
 AEL (DUPONT) : 1 MG/M3, TOTAL DUST, 8 & 12 HR. TWA

OTHER APPLICABLE EXPOSURE LIMITS

POTASSIUM SULFATE

PEL (OSHA) : NONE ESTABLISHED
 TLV (ACGIH) : NONE ESTABLISHED
 AEL (DUPONT) : 10 MG/M3, 8 HR. TWA

POTASSIUM PEROXYDISULFATE

TLV (ACGIH) : 0.1 MG/M3, 8 HR. TWA

MAGNESIUM CARBONATE

PEL (OSHA) : 15 MG/M3, TOTAL DUST, 8 HR. TWA
 5 MG/M3, RESPIRABLE DUST, 8 HR. TWA
 TLV (ACGIH) : 10 MG/M3, TOTAL DUST, 8 HR. TWA
 AEL (DUPONT) : NONE ESTABLISHED

AEL IS DUPONT'S ACCEPTABLE EXPOSURE LIMIT. WHERE GOVERNMENTALLY IMPOSED OCCUPATIONAL EXPOSURE LIMITS WHICH ARE LOWER THAN THE AEL ARE IN EFFECT, SUCH LIMITS SHALL TAKE PRECEDENCE.

09 PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL DATA

BOILING POINT : @ 760 MM HG DECOMPOSES
 VAPOR PRESSURE : NIL
 VAPOR DENSITY : NOT VOLATILE
 MELTING POINT : DECOMPOSES
 EVAPORATION RATE : (BUTYL ACETATE = 1)
 NOT VOLATILE
 SOLUBILITY IN WATER : 25.6 WT% @ 20 C (68 F)
 PH : 1% SOLUTION = 2.3; 3% SOLUTION = 2.0
 ODOR : ODORLESS
 FORM : GRANULAR; FREE FLOWING SOLID
 COLOR : WHITE
 SPECIFIC GRAVITY : 1.1-1.4

10 STABILITY AND REACTIVITY

CHEMICAL STABILITY

STABLE WHEN HANDLED AND STORED AS INDICATED.

INCOMPATIBILITY WITH OTHER MATERIALS

THE MIXTURE OF "OXONE" WITH COMPOUNDS CONTAINING HALIDES OR ACTIVE HALOGENS CAN CAUSE RELEASE OF THE RESPECTIVE HALOGEN IF MOISTURE IS PRESENT. FOR EXAMPLE, MIXING WITH SODIUM DICHOROISOCYANURATE OR WITH SODIUM CHLORIDE CAN CAUSE RELEASE OF CHLORINE GAS. MIXING WITH CYANIDES CAN CAUSE

RELEASE OF HYDROGEN CYANIDE GAS. MIXING WITH HEAVY METAL SALTS SUCH AS THOSE OF COBALT, NICKEL, COPPER, OR MANGANESE CAN CAUSE DECOMPOSITION WITH RELEASE OF OXYGEN AND HEAT.

DECOMPOSITION

DECOMPOSES WHEN HEATED OR DAMPENED, RELEASING OXYGEN AND HEAT OF DECOMPOSITION.

POLYMERIZATION

POLYMERIZATION WILL NOT OCCUR.

11 TOXICOLOGICAL INFORMATION

ANIMAL DATA

INHALATION 4-HOUR LC50: >5 MG/L IN RATS
SKIN ABSORPTION LD50 : >11,000 MG/KG IN RABBITS
ORAL LD50 : 2,000 MG/KG IN RATS

A BLEND OF OXONE MONOPERSULFATE AND ANHYDROUS SODIUM CARBONATE CAUSED SKIN CORROSION IN TESTS ON ANIMALS. SINGLE INHALATION EXPOSURES PRODUCED NONSPECIFIC EFFECTS SUCH AS WEIGHT LOSS AND IRRITATION. REPEATED INHALATION EXPOSURES PRODUCED EYE IRRITATION AND REVERSIBLE CORNEAL DAMAGE. BY INGESTION, THE ADMINISTRATION OF LARGE SINGLE DOSES PRODUCED NONSPECIFIC EFFECTS SUCH AS WEIGHT LOSS AND IRRITATION AS WELL AS GASTRIC ULCERATION, NECROSIS, AND HEMORRHAGE. THE COMPOUND DOES NOT PRODUCE GENETIC DAMAGE IN BACTERIAL CELL CULTURES.

12 ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION

AQUATIC TOXICITY

POTASSIUM SULFATE
96-HOUR TLM, BLUEGILL SUNFISH : 3,500 MG/L

MAGNESIUM CARBONATE
96-HOUR LC50, SPECIES UNIDENTIFIED: >1,000 PPM

13 DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

COMPLY WITH FEDERAL, STATE, AND LOCAL REGULATIONS. SOLUTIONS GREATER THAN 3% BY WEIGHT HAVE A PH < 2.0, AND MAY BE A RCRA HAZARDOUS WASTE UPON DISPOSAL DUE TO THE ACIDIC PH CHARACTERISTIC OF THE SOLUTION. IF APPROVED, FLUSH TO SEWER OR WASTE TREATMENT PLANT. LARGE QUANTITIES SHOULD BE NEUTRALIZED WITH SODA ASH.

14 TRANSPORTATION INFORMATION

SHIPPING INFORMATION

DOT/IMO
PROPER SHIPPING NAME : CORROSIVE SOLID, ACIDIC, INORGANIC,
N.O.S.
(MONOPERSULFATE COMPOUND)
HAZARD CLASS : 8

UN NO. : 3260
DOT/IMO LABEL : CORROSIVE
PACKING GROUP : II

SHIPPING CONTAINERS:

MULTIWALL BAGS
FIBER PACK DRUMS
BULK BAGS

15 REGULATORY INFORMATION
U.S. FEDERAL REGULATIONS

TSCA INVENTORY STATUS : REPORTED/INCLUDED.

TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

ACUTE : YES
CHRONIC : NO
FIRE : NO
REACTIVITY : NO
PRESSURE : NO

LISTS:

SARA EXTREMELY HAZARDOUS SUBSTANCE - NO
CERCLA HAZARDOUS MATERIAL - NO
SARA TOXIC CHEMICAL - NO

CANADA PEST CONTROL PRODUCTS ACT

REGISTRATION NUMBER 23137

CANADIAN REGULATIONS

CLASS C OXIDIZING MATERIAL

CLASS E CORROSIVE MATERIAL

16 OTHER INFORMATION

NFPA, NPCA-HMIS

NPCA-HMIS RATING
HEALTH : 3
FLAMMABILITY : 0
REACTIVITY : 1

PERSONAL PROTECTION RATING TO BE SUPPLIED BY USER DEPENDING ON USE
CONDITIONS.

ADDITIONAL INFORMATION

FOR FURTHER INFORMATION, SEE DUPONT "OXONE" MONOPERSULFATE
COMPOUND DATA SHEET.

RESPONSIBLE FOR MSDS : MSDS COORDINATOR
> : DUPONT CHEMICAL SOLUTIONS ENTERPRISE
ADDRESS : WILMINGTON, DE 19898
TELEPHONE : (302) 441-7515

INDICATES UPDATED SECTION.

END OF MSDS

For Additional Information:

Contact: MSDS Coordinator - Univar USA

During business hours, Pacific Time - (425) 889-3400

NOTICE

Univar USA, expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Univar USA Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar USA makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar USA's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

END OF MSDS