Vopak USA - MSDS Page 1 of 6



Univar USA Inc. 6100 Carillon Point Kirkland, WA 98033 (425) 889-3400

For Emergency Assistance involving chemicals call - CHEMTREC (800) 424-9300

The Version Date for this MSDS is: 08/22/2002 \*\*\*\*\*\*\*\*\*\*\*\*\* PRODUCT IDENTIFICATION \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* SODIUM BISULFATE, ANHYDROUS GLOBULAR, TECHNICAL PRODUCT NAME: MSDS#: P12108VS DATE ISSUED: 03/05/02 03/01/01 SUPERSEDES: ISSUED BY: 008548 MATERIAL SAFETY DATA SHEET SECTION 1 PRODUCT AND COMPANY IDENTIFICATION Product Name: Sodium bisulfate, anhydrous globular, technical Product Code: SBS01 Sodium acid sulfate, Nitre cake, Sodium hydrogen sulfate Synonyms: Product Use: Cleaning compounds, pH adjustment Manufacturer's Jones-Hamilton Co. 24-Hour Emergency Phone Numbers (U.S.A.): 8400 Enterprise Drive California: (510) 797-2471 Name/Address: (419) 666-9838 Newark, CA 94560 Ohio: CHEMTREC: (800) 424-9300 -or-30354 Tracy Road Walbridge, OH 43465 COMPOSITION/INFORMATION ON INGREDIENTS Chemical Formula: NaHSO4 CAS# % (by weight) Exposure Limits Component None established 7681-38-1 91.5-94.7 Sodium bisulfate

Vopak USA - MSDS Page 2 of 6

Sodium sulfate 7757-82-6 4.8-8.0 None established Moisture 7732-18-5 0.1-0.8 None established

OSHA: This material is classified as an irritant under current OSHA regulations.

\_\_\_\_\_

## SECTION 3 HAZARDS IDENTIFICATION

\_\_\_\_\_\_

#### EMERGENCY OVERVIEW

Off-white granular material, with the consistency of salt. Presents little or no hazard if spilled and no unusual hazard if involved in a fire. However, keep out of streams and ditches.

#### Potential Health Effects:

EYE: Causes mild to severe irritation. May cause burn if not flushed with water.

SKIN: Prolonged exposure may cause moderate irritation. May cause burn if not flushed with water.

INHALATION: Inhalation of dust may irritate or burn nose, throat and lungs.

INGESTION: Small amounts (tablespoonful) swallowed are not likely to cause injury; however, swallowing large amounts may irritate or burn digestive tract.

CHRONIC (CANCER) INFORMATION: Not known to cause cancer. Not listed as carcinogen by IARC, NTP or OSHA.

TERATOLOGY (BIRTH DEFECT) INFORMATION: No data available.

REPRODUCTION INFORMATION: No data available.

POTENTIAL ENVIRONMENTAL EFFECTS: Material in dry form is not hazardous to the environment. However, readily dissolves in water to form a weak acid solution. Therefore, keep out of streams and ditches.

\_\_\_\_\_\_

# SECTION 4 FIRST AID MEASURES

\_\_\_\_\_\_

NOTE TO PHYSICIAN: Supportive care. Treatment based on judgment of the physician in response to reactions of the patient. May aggravate pre-existing respiratory conditions.

EYES: Immediately flush eyes with water for at least 15 minutes, lifting eyelids to thoroughly flush. If redness or irritation persists, get prompt medical attention.

SKIN: Immediately flush affected area with water for at least 15 minutes. If burn occurs, seek immediate medical attention.

INHALATION: Remove to fresh air. If irritation or discomfort persists, seek medical attention.

INGESTION: If large amounts are ingested (greater than tablespoonful), drink large quantities of milk or water. Follow with Milk of Magnesia,

Page 3 of 6

beaten eggs or vegetable oil. DO NOT induce vomiting. Contact Physician immediately.

FIRE FIGHTING MEASURES SECTION 5

FLAMMABLE PROPERTIES: Not applicable. Material will not burn.

Not applicable. Material is non-combustible. FLAMMABLE LIMITS:

EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding

fire. Because material will readily dissolve in water to form a weak acid solution, avoid water contact with

material if possible.

HAZARDOUS COMBUSTION PRODUCTS: At temperatures over 806 F (430 C), product will decompose generating oxides of sulfur.

FIRE FIGHTING INSTRUCTIONS: Product readily dissolves in water to form a weak acid solution. If using water, wear acid protective

equipment. No gases or toxic fumes are emitted from this reaction. However, if elevated temperatures (> 806 F) are reached, self-contained breathing

apparatus should be worn.

### SECTION 6 ACCIDENTAL RELEASE MEASURES

LAND SPILL: Vacuum or shovel material and place in disposal container. Avoid excessive dust generation. Dilute residual material with ample supply of water and direct to sanitary sewer if Federal, State or Local regulations permit.

WATER SPILL: Readily dissolves in water to form a weak acid solution. If water is isolated or can be contained, neutralize with weak alkaline solution. Notify appropriate authorities if required by regulations.

#### HANDLING AND STORAGE SECTION 7

\_\_\_\_\_

HANDLING: Wear all recommended personal protective clothing when handling. Avoid contact with eyes. Wash thoroughly after handling. Minimize dust generation. Avoid breathing dust.

STORAGE: Material is hydroscopic and will readily absorb moisture. Keep containers tightly closed. DO NOT store where exposed to moist conditions. DO NOT store near strong alkalis.

## EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide general and/or local exhaust ventilation to maintain airborne particulate below nuisance levels (>10 mg/m3).

RESPIRATORY PROTECTION: In dusty atmospheres (>10 mg/m3), use a NIOSH-approved dust respirator.

Page 4 of 6

SKIN PROTECTION: Rubber gloves and cotton-blend coveralls.

EYE PROTECTION: Safety glasses or goggles.

GENERAL HYGIENE CONSIDERATIONS: There are no known health hazards associated with this material when used as recommended. Follow good industrial hygiene practices including but not limited to: (1) wash hands after use and before eating; (2) avoid breathing dust; and (3) wear safety glasses.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

Off-white granular material.

ODOR:

Fresh to Pungent

PHYSICAL STATE: Dry (Anhydrous) crystalline solid spherical shape beads SOLUBILITY: 1080 g/l @ 68 F (20 C)

MOLECULAR FORMULA: NaHSO4

PARTICLE SIZE: plus or minus 0.75 mm diameter

BULK DENSITY: 80 - 85 lbs/ft3 (loose)

MELTING POINT: 350 F (177 C)

PERCENT VOLATILE: Non-volatile

MOLECULAR WEIGHT: 120

\_\_\_\_\_\_

SECTION 10 STABILITY AND REACTIVITY

STABILITY: Stable.

INCOMPATIBILITY: Avoid contact with strong alkaline material such as caustic. Dissolves readily in water to form a weak acid solution. DO NOT MIX with liquid chlorine bleach, ammonia cleansers or similar products.

CONDITIONS TO AVOID: DO NOT store dry product where exposed to moist conditions.

HAZARDOUS DECOMPOSITION PRODUCTS: Only if heated over 806 F (430 C), at which sulfur dioxide and sulfur trioxide are formed.

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION

\_\_\_\_\_\_

REPORTED HUMAN EFFECTS: No human data are available for this product.

REPORTED ANIMAL EFFECTS: Oral - LD50 (rat) 2800 mg/kg.

Skin irritation - This material is neither corrosive nor destructive to the skin of New Zealand rabbits. Occasionally, a very slight rash may appear.

SECTION 12 ECOLOGICAL INFORMATION

\_\_\_\_\_\_

ECOTOXICOLOGICAL INFORMATION: This product readily dissolves in water to form a weak acid solution. A 0.05 percent or greater (by weight) solution of this product will likely be acutely harmful to fish and other water organisms.

Vopak USA - MSDS Page 5 of 6

CHEMICAL FATE INFORMATION: Material will decompose in soil. Studies show that there are no adverse effects of applying the main ingredient in this product (sodium bisulfate) directly to crops. In fact, there are existing products on the market that use sodium bisulfate as a soil additive to improve crop production. However, do not apply excessive quantities to soil.

\_\_\_\_\_\_

## SECTION 13 DISPOSAL CONSIDERATIONS

\_\_\_\_\_\_

If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA), 40 CFR Part 261. Dispose of in accordance with local, State and Federal laws and regulations.

\_\_\_\_\_\_

#### SECTION 14 TRANSPORT INFORMATION

DOMESTIC (Land, Department of Transportation): Not regulated.

International (Water, IMO): Not regulated.
International (Air, ICAO & IATA): Not regulated.
Shipment in Canada: Not regulated.
Surface Shipments in Europe: Not regulated.

\_\_\_\_\_\_

## SECTION 15 REGULATORY INFORMATION

\_\_\_\_\_\_

OSHA: This product is classified as an Irritant by definition of Hazard Communication Standard (29 CFR 1910.1200).

#### HMIS Rating:

Health - 1; Flammability - 0; Reactivity - 1; Protective Equipment - F

#### NFPA Rating:

Health - 1; Flammability - 0; Reactivity - 1; Special Precautions - None

TSCA: Listed in U.S. TSCA Section 8(b) Inventory.

CERCLA (RQ): This product contains no Hazardous Substances listed in 40 CFR Part 302.

SARA Title III: Section 311/312 Hazard Class - Acute.

This product contains NONE of the substances subject to the reporting requirements of Section 313 (40 CFR Part 372).

#### California Proposition 65:

This product does not contain any ingredient known to the State of California to cause cancer or reproductive toxicity as listed under the Safe Drinking Water and Toxic Enforcement Act of 1986.

New Jersey: Department of Health RTK List - sn 1704. Special Hazardous Substances - Corrosive

Australia: List of Designated Hazardous Substances - Corrosive (R34), Harmful (R37)

Tugo o or o

Canada - WHMIS: Controlled Product Hazard Class E; D2A. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

Canada - CEPA: All components of this product are on the Domestic Substances List (DSL), and acceptable for use under the provisions of CEPA.

European Union (EU): Dangerous Substances (Annex I)
- Classification: Xi, R-41
- Labels: Xi
- Safety Phrases: S-2, S-24, S-26

Germany: Water Classification (VwVwS) - Water Hazard Class: 1

Switzerland: Toxic Substance Classification - Giftklasse 3

Inventories: Australian Inventory of Chemical Substances; China; European Industry of Existing Commercial Chemical Substances (231-665-7); European Union Inventory of Cosmetic Ingredients, Other Ingredients; ICCA High Production Volume Working List; Japan Existing and New Chemical Substances (1-83, 1-491, 1-501); Korea Existing and Evaluated Chemical Substances (KE-31481); Philippines Inventory of Chemicals and Chemical Substances; OECD List of High Production Volume Chemicals.

\_\_\_\_\_\_

SECTION 16 OTHER INFORMATION

\_\_\_\_\_\_

For Additional Information:

Contact: MSDS Coordinator - Univar USA

During business hours, Pacific Time - (425) 889-3400

### **NOTICE**

Univar USA, expressly disclaims all express or implied warranties of merchantibility and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Univar USA Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar USA makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar USA's control and therefore users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.

**END OF MSDS**